


Le Feu Clever Room Divider

Bioethanol Fireplace

Technical Data:



Le Feu Clever Room Divider Model 600

Width (Build in)	340 mm
Height (Build in)	560 mm
(A) Length (Build in)	690 mm
(B) Length burner box	390 mm
Heats	30-50 m2
Output	2,6 - 3,3 kW
Voltage (input)	100-240 V
Capacity	3 liters
Consumption	0,5/0,6 L/H

Le Feu Clever Room Divider Model 800

Width (Build in)	340 mm
Height (Build in)	560 mm
(A) Length (Build in)	830 mm
(B) Length burner box	590 mm
Heats	30-80 m2
Output	2,6 - 4,8 kW
Voltage (input)	100-240 V
Capacity	5 liters
Consumption	0,7-0,8 L/H

Le Feu Clever Room Divider Model 1000

Width (Build in)	340 mm
Height (Build in)	560 mm
(A) Length (Build in)	1050 mm
(B) Length burner box	790 mm
Heats	40-100 m2
Output	2,6-6,0 kW
Voltage (input)	100-240 V
Capacity	7,5 liters
Consumption	0,6,-1,0 L/H

Le Feu Clever Room Divider Model 1200

Width (Build in)	340 mm
Height (Build in)	560 mm
(A) Length (Build in)	1230 mm
(B) Length burner box	990 mm
Heats	50-120 m2
Output	3,3-8 kW
Voltage (input)	100-240 V
Capacity	8,5 liters
Consumption	0,9-1,4 L/H


* Remote control and WIFI connection included

le feu
DESIGN & MANUFACTURE
 DEFINE FIRE

Le Feu Clever 1-side open

Bioethanol Fireplace

Technical Data:



Le Feu Clever 1-side open Model 600

Depth (build in)	355 mm
Height (Build in)	560 mm
(A) Length (Build in)	720 mm
(B) Length burner box	390 mm
Heats	30-50 m ²
Output	2,6 - 3,3 kW
Voltage (input)	100-240 V
Capacity	3 liters
Consumption	0,5/0,6 L/H

Le Feu Clever 1-side open Model 800

Depth (build in)	355 mm
Height (Build in)	560 mm
(A) Length (Build in)	860 mm
(B) Length burner box	590 mm
Heats	30-80 m ²
Output	2,6 - 4,8 kW
Voltage (input)	100-240 V
Capacity	5 liters
Consumption	0,7-0,8 L/H

Le Feu Clever 1-side open Model 1000

Depth (build in)	355 mm
Height (Build in)	560 mm
(A) Length (Build in)	1060 mm
(B) Length burner box	790 mm
Heats	40-100 m ²
Output	2,6-6,0 kW
Voltage (input)	100-240 V
Capacity	7,5 liters
Consumption	06,-1,0 L/H

Le Feu Clever 1-side open Model 1200

Depth (build in)	355 mm
Height (Build in)	560 mm
(A) Length (Build in)	1260 mm
(B) Length burner box	990 mm
Heats	50-120 m ²
Output	2,6-6,0 kW
Voltage (input)	100-240 V
Capacity	7,5 liters
Consumption	06,-1,0 L/H


* Remote control and WIFI connection included

le feu
DEFINE FIRE

Le Feu Clever 4-side open

Bioethanol Fireplace

Technical Data:



Le Feu Clever 4-side open Model 600

Width (Build in)	340 mm
Height (Build in)	560 mm
(A) Length (Build in)	660 mm
(B) Length burner box	390 mm
Heats	30-50 m ²
Output	2,6 - 3,3 kW
Voltage (input)	100-240 V
Capacity	3 liters
Consumption	0,5/0,6 L/H

Le Feu Clever 4-side open Model 800

Width (Build in)	340 mm
Height (Build in)	560 mm
(A) Length (Build in)	800 mm
(B) Length burner box	590 mm
Heats	30-80 m ²
Output	2,6 - 4,8 kW
Voltage (input)	100-240 V
Capacity	5 liters
Consumption	0,7-0,8 L/H

Le Feu Clever 4-side open Model 1000

Width (Build in)	340 mm
Height (Build in)	560 mm
(A) Length (Build in)	1000 mm
(B) Length burner box	790 mm
Heats	40-100 m ²
Output	2,6-6,0 kW
Voltage (input)	100-240 V
Capacity	7,5 liters
Consumption	06,-1,0 L/H

Le Feu Clever 4-side open Model 1200

Width (Build in)	340 mm
Height (Build in)	560 mm
(A) Length (Build in)	1200 mm
(B) Length burner box	990 mm
Heats	50-120 m ²
Output	2,6-6,0 kW
Voltage (input)	100-240 V
Capacity	7,5 liters
Consumption	06,-1,0 L/H


* Remote control and WIFI connection included

le feu
DEFINE FIRE

Le Feu Clever Panoramic

Bioethanol Fireplace

Technical Data:



Le Feu Clever Panoramic Model 600

Depth (build in)	370 mm
Height (Build in)	560 mm
(A) Length (Build in)	660 mm
(B) Length burner box	390 mm
Heats	30-50 m ²
Output	2,6 - 3,3 kW
Voltage (input)	100-240 V
Capacity	3 liters
Consumption	0,5/0,6 L/H

Le Feu Clever Panoramic Model 800

Depth (build in)	370 mm
Height (Build in)	560 mm
(A) Length (Build in)	800 mm
(B) Length burner box	590 mm
Heats	30-80 m ²
Output	2,6 - 4,8 kW
Voltage (input)	100-240 V
Capacity	5 liters
Consumption	0,7-0,8 L/H

Le Feu Clever Panoramic Model 1000

Depth (build in)	370 mm
Height (Build in)	560 mm
(A) Length (Build in)	1000 mm
(B) Length burner box	790 mm
Heats	40-100 m ²
Output	2,6-6,0 kW
Voltage (input)	100-240 V
Capacity	7,5 liters
Consumption	06,-1,0 L/H

Le Feu Clever Panoramic Model 1200

Depth (build in)	370 mm
Height (Build in)	560 mm
(A) Length (Build in)	1200 mm
(B) Length burner box	990 mm
Heats	50-120 m ²
Output	2,6-6,0 kW
Voltage (input)	100-240 V
Capacity	7,5 liters
Consumption	06,-1,0 L/H


* Remote control and WIFI connection included

le feu
DEFINE FIRE

Le Feu Clever Tunnel

Bioethanol Fireplace

Technical Data:



Le Feu Clever Tunnel Model 600

Width (build in)	340 mm
Height (Build in)	560 mm
(A) Length (Build in)	720 mm
(B) Length burner box	390 mm
Heats	30-50 m2
Output	2,6 - 3,3 kW
Voltage (input)	100-240 V
Capacity	3 liters
Consumption	0,5/0,6 L/H

Le Feu Clever Tunnel Model 800

Width (build in)	340 mm
Height (Build in)	560 mm
(A) Length (Build in)	860 mm
(B) Length burner box	590 mm
Heats	30-80 m2
Output	2,6 - 4,8 kW
Voltage (input)	100-240 V
Capacity	5 liters
Consumption	0,7-0,8 L/H

Le Feu Clever Tunnel Model 1000

Width (build in)	340 mm
Height (Build in)	560 mm
(A) Length (Build in)	1060 mm
(B) Length burner box	790 mm
Heats	40-100 m2
Output	2,6-6,0 kW
Voltage (input)	100-240 V
Capacity	7,5 liters
Consumption	06,-1,0 L/H

Le Feu Clever Tunnel Model 1200

Width (build in)	340 mm
Height (Build in)	560 mm
(A) Length (Build in)	1260 mm
(B) Length burner box	990 mm
Heats	50-120 m2
Output	2,6-6,0 kW
Voltage (input)	100-240 V
Capacity	7,5 liters
Consumption	06,-1,0 L/H

* Remote control and WIFI connection included


le feu
DEFINE FIRE

Le Feu Clever Corner

Bioethanol Fireplace

Technical Data:

Corner Left/Right optional



Le Feu Clever Corner Model 600

Depth (build in)	370 mm
Height (Build in)	560 mm
(A) Length (Build in)	660 mm
(B) Length burner box	390 mm
Heats	30-50 m ²
Output	2,6 - 3,3 kW
Voltage (input)	100-240 V
Capacity	3 liters
Consumption	0,5/0,6 L/H

Le Feu Clever Corner Model 800

Depth (build in)	370 mm
Height (Build in)	560 mm
(A) Length (Build in)	800 mm
(B) Length burner box	590 mm
Heats	30-80 m ²
Output	2,6 - 4,8 kW
Voltage (input)	100-240 V
Capacity	5 liters
Consumption	0,7-0,8 L/H

Le Feu Clever Corner Model 1000

Depth (build in)	370 mm
Height (Build in)	560 mm
(A) Length (Build in)	1000 mm
(B) Length burner box	790 mm
Heats	40-100 m ²
Output	2,6-6,0 kW
Voltage (input)	100-240 V
Capacity	7,5 liters
Consumption	06,-1,0 L/H

Le Feu Clever Corner Model 1200

Depth (build in)	370 mm
Height (Build in)	560 mm
(A) Length (Build in)	1200 mm
(B) Length burner box	990 mm
Heats	50-120 m ²
Output	2,6-6,0 kW
Voltage (input)	100-240 V
Capacity	7,5 liters
Consumption	06,-1,0 L/H

* Remote control and WIFI connection included

le feu
DEFINE FIRE